

FHF32W専用

器具形名	FHF32			器具形名	FHF32			器具形名	FHF32		
	100V/200V				100V/200V				100V/200V		
	lm	W	lm/W		lm	W	lm/W		lm	W	lm/W
FHT-42008-PD9	9,440	93/91	101.5/103.7	FHT-42962K-PH9	9,140	89/88	102.7/103.9	FHTS-42185NMK-PH9	9,440	93/92	101.5/102.6
FHT-42008-PH9	9,440	90/89	104.9/106.1	FHT-42962K-PJ9	6,550	67/65	97.8/100.8	FHTS-42307D-PRJ	5,100	58/56	87.9/91.1
FHT-42085NK-PH9	9,440	90/89	104.9/106.1	FHT-42962K-PK9	9,140	89/88	102.7/103.9	FHTS-42307N-PJ9	6,690	70/68	95.6/98.4
FHT-42085NK-PK9	9,440	90/89	104.9/106.1	FHT-42965K-PH9	9,140	89/88	102.7/103.9	FHTS-42307N-PK9	9,440	93/92	101.5/102.6
FHT-42085NK-PN9	6,690	67/65	99.9/102.9	FHT-42965K-PJ9	6,550	67/65	97.8/100.8	FHTS-42384NM-PH9	9,440	93/92	101.5/102.6
FHT-42085N-PK9	9,440	90/89	104.9/106.1	FHT-42965K-PK9	9,140	89/88	102.7/103.9	FHTS-42386D-PRJ	5,100	58/56	87.9/91.1
FHT-42087NMK-PH9	9,440	90/89	104.9/106.1	FHT-42966K-PH9	8,110	87/86	93.2/94.3	FHTS-42386-PH9	9,440	93/92	101.5/102.6
FHT-42087NMK-PN9	6,690	67/65	99.9/102.9	FHT-42966K-PJ9	6,350	67/65	94.8/97.7	FHTS-42404D-PRJ	5,100	58/56	87.9/91.1
FHT-42107NMK-PK9	9,440	90/89	104.9/106.1	FHT-42966K-PK9	8,110	87/86	93.2/94.3	FHTS-42414-PH9	9,270	93/92	99.7/100.8
FHT-42107NMYK-PD9	9,440	94/92	100.4/102.6	FHT-42967K-PH9	8,110	87/86	93.2/94.3	FHTS-42414-PN9	6,690	70/68	95.6/98.4
FHT-42107NMYK-PH9	9,440	91/90	103.7/104.9	FHT-42967K-PJ9	6,350	67/65	94.8/97.7	FHTS-42800-PH9	9,270	93/92	99.7/100.8
FHT-42185NMK-PH9	9,440	90/89	104.9/106.1	FHT-42967K-PK9	8,110	87/86	93.2/94.3	FHTS-42930K-PH9	9,270	93/92	99.7/100.8
FHT-42185NMK-PK9	9,440	90/89	104.9/106.1	FHT-42968K-PH9	8,110	87/86	93.2/94.3	FHTS-42961K-PH9	9,140	92/91	99.3/100.4
FHT-42185NMK-PN9	6,690	67/65	99.9/102.9	FHT-42968K-PJ9	6,350	67/65	94.8/97.7	FHTS-42961K-PJ9	6,550	70/68	93.6/96.3
FHT-42187FK-PH9	9,440	90/89	104.9/106.1	FHT-42968K-PK9	8,110	87/86	93.2/94.3	FHTS-42961K-PK9	9,140	92/91	99.3/100.4
FHT-42187FK-PN9	6,690	67/65	99.9/102.9	FHTE-42414-PH9	9,270	90/89	103/104.2	FHTS-42962K-PH9	9,140	92/91	99.3/100.4
FHT-42188FK-PH9	9,440	90/89	104.9/106.1	FHTE-42414-PN9	6,690	67/65	99.9/102.9	FHTS-42962K-PJ9	6,550	70/68	93.6/96.3
FHT-42188FK-PN9	6,690	67/65	99.9/102.9	FHTJ-41083NM-PN9	3,340	38/37	87.9/90.3	FHTS-42962K-PK9	9,140	92/91	99.3/100.4
FHT-42307D-PRJ	5,100	55/53	92.7/96.2	FHTJ-41085NK-PN9	3,340	38/37	87.9/90.3	FHTS-42965K-PH9	9,140	92/91	99.3/100.4
FHT-42307N-PD9	9,440	93/91	101.5/103.7	FHTJ-41183F-PN9	3,340	38/37	87.9/90.3	FHTS-42965K-PK9	9,140	92/91	99.3/100.4
FHT-42307N-PK9	9,440	90/89	104.9/106.1	FHTJ-41185NMK-PN9	3,340	38/37	87.9/90.3				
FHT-42307NY-PD9	9,440	94/92	100.4/102.6	FHTJ-41384NM-PN9	3,340	38/37	87.9/90.3				
FHT-42384D-PRJ	5,100	55/53	92.7/96.2	FHTJ-41386-PN9	3,340	38/37	87.9/90.3				
FHT-42384NM-PH9	9,440	90/89	104.9/106.1	FHTJ-41851LYK-PD9	4,640	50/49	92.8/94.7				
FHT-42384NM-PN9	6,690	67/65	99.9/102.9	FHTJ-41852LYK-PD9	4,020	48/47	83.8/85.5				
FHT-42386D-PRJ	5,100	55/53	92.7/96.2	FHTJ-42085NK-PN9	6,690	70/68	95.6/98.4				
FHT-42386N-PH9	9,440	90/89	104.9/106.1	FHTJ-42183F-PN9	6,690	70/68	95.6/98.4				
FHT-42386N-PK9	9,440	90/89	104.9/106.1	FHTJ-42185NMK-PN9	6,690	70/68	95.6/98.4				
FHT-42386N-PN9	6,690	67/65	99.9/102.9	FHTJ-42384NM-PN9	6,690	70/68	95.6/98.4				
FHT-42387N-PH9	9,440	90/89	104.9/106.1	FHTJ-42386-PN9	6,690	70/68	95.6/98.4				
FHT-42387N-PN9	6,690	67/65	99.9/102.9	FHTS-41007D-PRJ	2,550	32/31	79.7/82.3				
FHT-42388NM-PH9	9,440	90/89	104.9/106.1	FHTS-41083NM-PH9	4,670	49/48	95.3/97.3				
FHT-42388NM-PN9	6,690	67/65	99.9/102.9	FHTS-41085NK-PH9	4,670	49/48	95.3/97.3				
FHT-42404D-PRJ	5,100	55/53	92.7/96.2	FHTS-41107NMK-PJ9	3,340	38/37	87.9/90.3				
FHT-42404N-PK9	9,270	90/89	103/104.2	FHTS-41107NMK-PK9	4,670	49/48	95.3/97.3				
FHT-42404NY-PD9	9,270	94/92	98.6/100.8	FHTS-41183F-PH9	4,670	49/48	95.3/97.3				
FHT-42404-PD9	9,270	93/91	99.7/101.9	FHTS-41185NMK-PH9	4,670	49/48	95.3/97.3				
FHT-42414D-PRJ	5,100	55/53	92.7/96.2	FHTS-41307D-PRJ	2,550	32/31	79.7/82.3				
FHT-42414-PD9	9,270	93/91	99.7/101.9	FHTS-41307N-PJ9	3,340	38/37	87.9/90.3				
FHT-42414-PH9	9,270	90/89	103/104.2	FHTS-41307N-PK9	4,670	49/48	95.3/97.3				
FHT-42414-PK9	9,270	90/89	103/104.2	FHTS-41384NM-PH9	4,670	49/48	95.3/97.3				
FHT-42414-PN9	6,690	67/65	99.9/102.9	FHTS-41386-PH9	4,670	49/48	95.3/97.3				
FHT-42431-PK9	8,110	87/86	93.2/94.3	FHTS-41750-PH9	4,600	49/48	93.9/95.8				
FHT-42432-PH9	8,110	87/86	93.2/94.3	FHTS-41831K-PA9	4,600	49/48	93.9/95.8				
FHT-42508-PH9	8,110	87/86	93.2/94.3	FHTS-41832K-PA9	4,010	47/46	85.3/87.2				
FHT-42570-PH9	8,110	87/86	93.2/94.3	FHTS-41833Y-PD9	4,640	50/49	92.8/94.7				
FHT-42636D-PRJ	5,100	55/53	92.7/96.2	FHTS-41833Y-PH9	4,600	50/49	102/104				
FHT-42746K-PH9	9,270	90/89	103/104.2	FHTS-41834Y-PD9	4,720	50/49	94.4/96.3				
FHT-42746K-PN9	6,690	67/65	99.9/102.9	FHTS-41851K-PD9	4,640	50/49	92.8/94.7				
FHT-42764D-PRJ	5,100	55/53	92.7/96.2	FHTS-41851YK-PD9	4,640	50/49	92.8/94.7				
FHT-42764-PD9	9,270	93/91	99.7/101.9	FHTS-41852K-PD9	4,020	48/47	83.8/85.5				
FHT-42764-PJ9	6,690	67/65	99.9/102.9	FHTS-41852YK-PD9	4,020	48/47	83.8/85.5				
FHT-42764-PK9	9,270	90/89	103/104.2	FHTS-41853-PD9	4,640	50/49	92.8/94.7				
FHT-42765NK-PH9	9,270	90/89	103/104.2	FHTS-41853Y-PD9	4,640	50/49	92.8/94.7				
FHT-42765NK-PK9	9,270	90/89	103/104.2	FHTS-41854-PD9	4,720	50/49	94.4/96.3				
FHT-42765NK-PN9	6,690	67/65	99.9/102.9	FHTS-41854Y-PD9	4,720	50/49	94.4/96.3				
FHT-42800-PH9	9,270	90/89	103/104.2	FHTS-41861YK-PD9	4,640	50/49	92.8/94.7				
FHT-42800-PK9	9,270	90/89	103/104.2	FHTS-41862YK-PD9	4,020	48/47	83.8/85.5				
FHT-42904-PK9	9,270	94/92	98.6/100.8	FHTS-42007-PK9	9,440	93/92	101.5/102.6				
FHT-42930K-PH9	9,270	90/89	103/104.2	FHTS-42083NM-PH9	9,440	93/92	101.5/102.6				
FHT-42930K-PK9	9,270	90/89	103/104.2	FHTS-42085NK-PH9	9,440	93/92	101.5/102.6				
FHT-42961K-PH9	9,140	89/88	102.7/103.9	FHTS-42107NMK-PJ9	6,690	70/68	95.6/98.4				
FHT-42961K-PJ9	6,550	67/65	97.8/100.8	FHTS-42107NMK-PK9	9,440	93/92	101.5/102.6				
FHT-42961K-PK9	9,140	89/88	102.7/103.9	FHTS-42183F-PH9	9,440	93/92	101.5/102.6				

※エネルギー消費効率の表示値には、許容差±10%がありますのでご了承ください。

※リストには在庫限り品・生産完了品も含まれております。器具の詳細につきましては、施設・屋外照明カタログまたは、商品データベースにてご確認くださいませうお願いいたします。

FHP105W専用

器具形名	FHP105		
	100V/200V		
	lm	W	lm/W
FHT-91000MK-PR9	9,980	91/88	109.7/113.4
FHT-91000MSK-PRJ	9,980	95/93	105.1/107.3
FHT-91317-PD9	9,980	94/92	106.2/108.5
FHT-91317-PR9	9,980	91/88	109.7/113.4
FHT-91317S-PRJ	9,980	95/93	105.1/107.3
FHT-91386N-PR9	9,580	91/89	105.3/107.6
FHT-92110NK-PR9	19,950	181/177	110.2/112.7
FHT-92110NSK-PRJ	19,950	188/184	106.1/108.4
FHT-92110PNK-PR9	19,950	181/177	110.2/112.7
FHT-92110PNSK-PRJ	19,950	188/184	106.1/108.4
FHT-92120K-PR9	19,950	181/177	110.2/112.7
FHT-92120SK-PRJ	19,950	188/184	106.1/108.4
FHT-92317-PD9	19,950	187/183	106.7/109.0
FHT-92317-PR9	19,950	181/177	110.2/112.7
FHT-92317S-PRJ	19,950	188/184	106.1/108.4

FHF86W専用

器具形名	FHF86		
	100V/200V		
	lm	W	lm/W
FHR-91402K-PN9	8,680	89/87	97.5/99.8
FHR-92402K-PN9	16,820	178/174	94.5/96.7
FHR-92750-PN9	16,820	178/174	94.5/96.7
FHR-92751-PN9	16,820	178/174	94.5/96.7
FHR-92848-PN9	16,820	178/174	94.5/96.7
FHT-91005-PD9	8,720	89/87	98/100.2
FHT-91005-PN9	8,720	89/87	98/100.2
FHT-91085-PN9	8,720	89/87	98/100.2
FHT-91105N-PD9	8,720	89/87	98/100.2
FHT-91105N-PN9	8,720	89/87	98/100.2
FHT-91105NP-PN9	8,720	89/87	98/100.2
FHT-91185N-PN9	8,720	89/87	98/100.2
FHT-91205N-PD9	8,720	89/87	98/100.2
FHT-91205N-PN9	8,720	89/87	98/100.2
FHT-91305-PD9	8,720	89/87	98/100.2
FHT-91305-PJ9	8,720	89/87	98/100.2
FHT-91305-PN9	8,720	89/87	98/100.2
FHT-91305P-PJ9	8,720	89/87	98/100.2
FHT-91305P-PN9	8,720	89/87	98/100.2
FHT-91387M-PN9	8,720	89/87	98/100.2
FHT-91904-PJ9	8,680	89/87	97.5/99.8
FHT-91904-PN9	8,680	89/87	97.5/99.8
FHT-92005-PD9	17,440	175/171	99.7/102
FHT-92005-PN9	17,440	175/171	99.7/102
FHT-92105N-PD9	17,440	175/171	99.7/102
FHT-92105N-PN9	17,440	175/171	99.7/102
FHT-92105NP-PN9	17,440	175/171	99.7/102
FHT-92305-PD9	17,440	175/171	99.7/102
FHT-92305-PJ9	17,440	175/171	99.7/102
FHT-92305-PN9	17,440	175/171	99.7/102
FHT-92305P-PN9	17,440	175/171	99.7/102
FHT-92387M-PN9	17,440	175/171	99.7/102
FHT-92404N-PD9	16,820	178/174	94.5/96.7
FHT-92404N-PJ9	16,820	178/174	94.5/96.7
FHT-92404-PN9	16,820	178/174	94.5/96.7
FHT-92636-PN9	17,440	175/171	99.7/102
FHT-92791-PD9	16,820	177/173	95/97.2
FHT-92791-PN9	16,820	178/174	94.5/96.7
FHT-92904-PJ9	16,820	183/174	91.9/96.7
FHT-92904-PN9	16,820	183/174	91.9/96.7
FHT-93307-PN9	26,080	264/258	98.8/101.1
FHTS-91105N-PN9	8,720	93/91	93.8/95.8
FHTS-91305-PN9	8,720	93/91	93.8/95.8
FHTS-92105N-PN9	17,440	178/174	98/100.2
FHTS-92305-PN9	17,440	178/174	98/100.2

FHC34W+27W専用

器具形名	FHC34+27		
	100V/200V		
	lm	W	lm/W
FHR-86161-PH9	7,100	86/84	82.6/84.5
FHR-86162-PH9	7,100	86/84	82.6/84.5
FHR-86261-PH9	13,500	168/163	80.4/82.8
FHR-86262-PH9	13,500	168/163	80.4/82.8
FHR-86263-PH9	13,500	168/163	80.4/82.8

FHT32W(42W)兼用

器具形名	FHT32			FHT42		
	100V/200V			100V/200V		
	lm	W	lm/W	lm	W	lm/W
FHR-32711-PM9	3,890	56/56	69.5/69.5	4,550	71/69	64.1/65.9
FHR-32712K-PM9	3,890	56/56	69.5/69.5	4,550	71/69	64.1/65.9
FHR-32713K-PM9	3,890	56/56	69.5/69.5	4,550	71/69	64.1/65.9
FHR-32714K-PM9	3,560	52/52	68.5/68.5	4,150	65/64	63.8/64.8
FHR-32715K-PM9	3,560	52/52	68.5/68.5	4,150	65/64	63.8/64.8
FHR-32740K-PM9	3,560	52/52	68.5/68.5	4,150	65/64	63.8/64.8

